


OUR SALES AND SUPPORT NETWORK






TANKI MATLAB VECTUS!







< Milestones >



< About the Company>

Vectus is a leading player in the Indian polymers industry, primarily dedicated to providing innovative water storage solutions. Established in 1989, with more than 4000+ dealers and distributors, 15000+ retailers and 10 manufacturing units, Vectus has emerged as a trusted name synonymous with quality, reliability, and technological excellence.

At Vectus, we specialize in the manufacturing and distribution of a diverse range of plastic products tailored to meet the evolving needs of residential, commercial, and industrial sectors. Our comprehensive product portfolio includes a wide spectrum of high-quality water storage tanks, bathware products and household plastic products.

With a strong emphasis on innovation and customer satisfaction, Vectus continues to set new benchmarks in the industry. Our state-of-the-art manufacturing facilities, strategically located across India, enable us to deliver superior products consistently while ensuring cost-efficiency and environmental sustainability.

At the heart of our operations lies a commitment to quality assurance and compliance with international standards. Vectus products undergo rigorous testing and quality control measures at every stage of the manufacturing process, ensuring durability, performance, and peace of mind for our customers.

Beyond business, Vectus is deeply committed to social responsibility and community development. Through our corporate social responsibility initiatives, we strive to make a positive impact on society by supporting education, healthcare, and environmental sustainability initiatives in the communities we serve.

Driven by a vision to be the preferred choice for water storage solutions, Vectus continues to innovate, grow, and serve our customers with excellence.



⟨Our Product Portfolio⟩

We are a complete water storage solution provider company. With more than three decades of trust, superior quality, cutting edge technology and consumer friendly designs, our products enjoy a proven track records of excellence. Our overhead and underground tanks are designed and manufactured keeping in mind the industry needs and the ever-changing demands of our consumers. Our Roto and Blow mould tanks are certified by NSF/ANSI/CAN-61 approved by IAPMO.

We specialize in the manufacturing and distribution of a diverse range of plastic products tailored to meet the evolving needs of residential, commercial and industrial sectors. Our comprehensive product portfolio includes a wide spectrum of high-quality water storage tanks, bathware products and household plastic products.

- ► Water storage tanks(overhead & underground tanks)
- ► Plastic household products
- Bathware
- ► Road safety products
- ► Gardening products






3









< BLOW MOULDING PROCESS>

Blow moulding is a specific manufacturing process by which hollow plastic objects are formed. The blow moulding process begins with melting down the plastic and forming it into a parison. The parison is a tube-like piece of plastic with a hole on one end through which compressed air can pass.

The parison is then clamped into a mould and air is blown into it. The air pressure then pushes the plastic out to match the mould. Once the plastic has cooled and hardened the mould opens up and the part is ejected.

It is a highly versatile manufacturing option that allows for unlimited design possibilities. The process also has a number of inherent design strengths, such as consistent wall thickness and strong outside corners which are virtually stress free design.

< ROTO MOULDING PROCESS>

Rotational moulding involves a heated hollow mould which is filled with a charge or shot weight of material. It is then slowly rotated (usually around two perpendicular axes), causing the softened material to disperse and stick to the walls of the mould. In order to maintain even thickness throughout the part, the mould continues to rotate at all times during the heating phase and to avoid sagging or deformation also during the cooling phase.


Vectus has installed the state-of-the-art plants which are one of their kind in the sub-continent, encompassing the complete process in-house, beginning from extrusion, pulverisation to roto moulding on bi-axial roto moulding machine.

Vectus Euro Tank

Green Metallic

White

The Vectus Granito is the most advanced water storage tank in India and represents the pinnacle of water storage innovation. It is meticulously crafted with six-layers, each serving a unique purpose and offering a distinctive feature, using rotational moulding technology. Beyond its exceptional functionality, the Granito's sleek and modern design with a contemporary granite finish enhances the aesthetic appeal of its surroundings. Available in granite finish colours of Ruby, Emerald and Ivory, Granito seamlessly complements your home's exterior while employing cutting-edge 6-layer technology for unparalleled water purity and safety.



VECTUS GRANITO



Superior Rotational



- Advanced Anti-Microbial Layer: Ensures water purity and safety, safeguarding against microbial contamination.
- Double Foam Insulation: Twin foam layers maintain water temperature stability, delivering consistent performance even in extreme environmental conditions.
- ▶ UV Sun-Shield Layer: Provides robust protection against harmful UV rays, preserving water quality and integrity.
- Titanium-Enhanced Layer: Crafted with high-quality titanium loading, the layer enhances both tank strength ensuring
- ► Elegant Granite Finish: The striking outermost layer boasts a luxurious granite finish, elevating the aesthetic appeal of your surroundings with additional UV stabilisation.
- ▶ Roto-Moulded Threaded Lid: Features a heavy-duty rotomoulded threaded lid for enhanced durability and secure sealing, ensuring long-lasting performance.
- ▶ Wide Size Range: Available in sizes ranging from 550 to 2000 litres, catering to diverse household or commercial requirements.
- NSF/ANSI/CAN 61: Certified by IAPMO under NSF/ANSI/CAN 61 standards, providing additional quality assurance and peace of mind.

5

	Capacity (Ltrs.)	Overall Diameter (mm)	Height (mm)	Manhole Dia (mm)
	550	870	970	390
$ \uparrow $	750	990	1035	390
	1100	1110	1190	390
-Height	1500	1230	1345	390
	2000	1335	1490	390

SPECIFICATION

Cross-section of 'Vectus Granito 6 Layer' water tank

Granite Finish Layer (outer layer)

First Foam Insulated Layer (second layer)

Inner Foam Insulated Layer (fourth layer)

Titanium Strength Layer (fifth layer)

Anti-microbial Laver (inner laver)

Black Colour UV Sun-Shield Layer (third layer)

	Capacity (Ltrs.)	Overall Diameter (mm)	Height (mm)	Manhole Dia (mm)
	550	870	970	390
\Box	750	990	1035	390
	1100	1110	1190	390
-Height	1500	1230	1345	390
	2000	1335	1490	390

*There could be variations in specifications and colors due to continuous product development. All sizes and capacities are approximate

The Vectus Euro tank is a cutting-edge five-layer tank with dual foam layers. This advanced design ensures optimal weather insulation, maintaining water temperature stability regardless of external conditions. Engineered for purity and safety, the Euro Tank features an anti-microbial inner layer alongside a UV Sun-Shield layer, providing comprehensive protection against harmful elements. Its heavy-threaded lid, renowned for its durability, safeguards the water from dust and pollutants with unwavering reliability. Available in two sophisticated colours -

White and Green Metallic - it offers both style and substance for discerning consumers. VECTUS Europe Distriction Superior Rotational Moulded threaded lid

Salient Features:

- Advanced Anti-Microbial Layer: Safeguards water purity and safety with an inner anti-microbial layer, ensuring protection against contaminants.
- Double Foam Insulation: Twin foam layers maintain water temperature stability, delivering consistent performance even in extreme environmental conditions.
- ▶ UV Sun-Shield Layer: Provides robust protection against harmful UV rays, preserving water quality and integrity.
- Heat-Reflective Layer: Helps maintain water temperature and ensures water safety with its heat-reflective properties and additional UV stabilisation.
- Heavy-Duty Threaded Lid: Features a robust roto-moulded threaded lid for enhanced durability and secure sealing, guaranteeing long-term performance.
- Wide Size Range: Available in a diverse range of sizes, from 550 to 5000 litres, catering to various capacity requirements
- NSF/ANSI/CAN 61: Certified by IAPMO under NSF/ANSI/ CAN 61 standards, providing additional quality assurance and peace of mind.

*There could be variations in specifications and colors due to continuous product development. All sizes and capacities are approximate

Cross-section of 'Vectus Euro 5 Layer' water tank



Heat Reflective (outer layer) Foam Insulated Layer (second layer) UV Protective Sun-Shield Layer (third layer)

Foam Insulated Layer (fourth layer) Anti-microbial Layer (inner layer)

SPECIFICATION



Capacity (Ltrs.)	Overall Diameter (mm)	Height (mm)	Manhole Dia (mm)
550	870	970	390
750	990	1035	390
1100	1110	1190	390
1500	1230	1345	390
2000	1335	1490	390
3000	1550	1750	450
5000	1880	2010	450



The Vectus Cool tank is an advanced antimicrobial water tank, engineered to uphold water purity, safety, and coolness. With four purposeful layers, it serves as an ideal choice for both household and industrial applications. Its weatherinsulated design, featuring a foam layer, ensures consistent water temperature maintenance in any climate. Additionally, its anti-microbial inner layer and UV sun-shield layer provide comprehensive protection against harmful elements. Its heavy-threaded lid, renowned for its durability, safeguards the water from dust and pollutants with unwavering reliability.





Salient Features:

- Advanced Anti-Microbial Layer: Ensures water purity and safety with an inner anti-microbial layer, effectively preventing contamination.
- ► Temperature-Resistant Foam Layer: Maintains water resilience to external temperature variations, even in extreme conditions, thanks to intermittent foam layering.
- ▶ UV Sun-Shield Layer: Provides reliable protection against harmful UV rays, preserving water quality and integrity.
- ► Titanium-Enhanced Outer Layer: Crafted with high-quality titanium loading, the outer layer enhances both tank strength and whiteness, ensuring durability and aesthetic appeal.
- ► Heavy-Duty Threaded Lid: Features a robust roto-moulded threaded lid for enhanced durability and secure sealing, guaranteeing long-lasting performance.
- ▶ Wide Size Range: Available in sizes ranging from 550 to 5000 litres, offering versatility to meet diverse capacity requirements.
- NSF/ANSI/CAN 61: Certified by IAPMO under NSF/ANSI/CAN 61 standards, providing additional quality assurance and peace of mind.

RoHS: Vectus Cool tanks are certified as per the Restriction of Hazardous substance (RoHS) Directive (European Union) 2015/863, which ensures that there are no hazardous heavy metals like Lead, Mercury, Cadmium etc present in the tanks

*There could be variations in specifications and colors due to continuous product development. All sizes and capacities are approximate.





White Colour Titanium Loaded Layer (outer layer) Black Colour UV Sun-Shield Layer (second layer) Foam Layer (third layer) Anti-microbial Layer (inner layer)

SPECIFICATION

Capacity (Ltrs.)	Overall Diameter (mm)	Height (mm)	Manhole Dia (mm)
550	870	970	390
750	990	1035	390
1100	1110	1190	390
1500	1230	1345	390
2000	1335	1490	390
3000	1550	1750	450
5000	1880	2010	450

The Vectus Safe tank is an advanced antimicrobial water tank, engineered to uphold water purity and safety. With four purposeful layers, it serves as an ideal choice for both household and industrial applications. Its anti-microbial inner layer and UV Sun-Shield provide comprehensive protection against harmful elements. Available in multiple colour options, the tank can further enhance the modern aesthetic of the house.



Vectus Safe Tank

Available Colours



White





VFCTUS



8

Salient Features:

- Advanced Anti-Microbial Layer: Ensures water purity and safety with an inner anti-microbial layer, effectively preventing contamination.
- ▶ UV Sun-Shield Layer: Provides reliable protection against harmful UV rays, safeguarding water quality.
- Intermittent Protective Layer: providing an additional level of strength and protection.
- Enhanced Aesthetic Layer: Crafted with high-quality raw material, with various colour options which add an aesthetic appeal to the tank.
- Injection-Moulded Threaded Lid: Features a robust injection-moulded threaded lid for secure sealing.
- ▶ Wide Size Range: Available in sizes ranging from 550 to 5000 litres, catering to various capacity needs with flexibility and versatility.
- NSF/ANSI/CAN 61: Certified by IAPMO under NSF/ANSI/CAN 61 standards, providing additional quality assurance and peace of mind.

RoHS: Vectus Safe tanks are certified as per the Restriction of Hazardous substance (RoHS) Directive (European Union) 2015/863, which ensures that there are no hazardous heavy metals like Lead, Mercury, Cadmium etc present in the tanks

Cross-section of 'Vectus Safe 4 Layer' water tank



White/Coloured Layer (outer layer) Black Colour UV Sun-Shield Layer (second layer) Protective Layer (third layer)

Anti-microbial Layer (inner layer)

SPECIFICATION

Capacity (Ltrs.)	Overall Diameter (mm)	Height (mm)	Manhole Dia (mm)	
550	870	970	390	
750	990	1035	390	
1100	1110	1190	390	
1500	1230	1345	390	
2000	1335	1490	390	
3000	1550	1750	450	
5000	1880	2010	450	

product development. All sizes and capacities are approximate

^{*}There could be variations in specifications and colors due to continuous



The Vectus Mini tank is a low-height, anti-microbial tank with a triple-layer rotomoulded design. It's specially crafted to fit discreetly behind the parapet wall, enhancing the exterior aesthetics of your home. The Vectus Mini features an innovative side manhole for easy cleaning. Its heavy-threaded lid, renowned for its durability, safeguards the water from dust and pollutants with unwavering reliability.



The Vectus Smart tank is an economical water storage tank, consisting of three layers: the white titanium layer/coloured layer, UV sun-shield layer, and an antibacterial inner layer. The anti-bacterial layer contributes to ensuring the safety and hygiene of stored water. Available in multiple colour options, the tank can further enhance the modern aesthetic of the house



Vectus Smart Tank

White

Available Colours





VECTUS



9

- Robust Roto-Moulded Construction: Ensures durability and longevity, providing a reliable water storage solution.
- Space-Saving Design: Engineered to be discreetly hidden behind parapet walls, seamlessly integrating into your space for a clutter-free environment.
- ► Convenient Maintenance Access: Equipped with an accessible manhole, facilitating easy maintenance and inspection for hassle-free
- Promotes Water Purity: Incorporates an anti-microbial inner layer to uphold water purity and safety, safeguarding against contaminants.
- ► Triple-Layered Construction: Utilizes triple-layer tank construction, enhancing strength and reliability for peace of mind.
- ► Heavy-Duty Threaded Lid: Features a robust roto-moulded threaded lid for enhanced durability and secure sealing, guaranteeing long-lasting performance.
- Exclusive Size Option: Available exclusively in a 1000-liter size, offering ample storage capacity tailored to your specific needs.
- NSF/ANSI/CAN 61: Certified by IAPMO under NSF/ANSI/CAN 61 standards, providing additional quality assurance and peace of mind.

RoHS: Vectus Mini tanks are certified as per the Restriction of Hazardous substance (RoHS) Directive (European Union) 2015/863, which ensures that there are no hazardous heavy metals like Lead, Mercury, Cadmium etc present in the tanks.

*There could be variations in specifications and colors due to continuous product development. All sizes and capacities are approximate.





SPECIFICATION

Capacity (Ltrs.)	Overall Diameter (mm)	Height (mm)	Manhole Dia (mm)
1000	1280	930	300




Salient Features:

- ► Advanced Anti-Bacterial Layer: Guarantees water purity and safety with an inner anti-bacterial layer, effectively preventing bacterial contamination.
- ▶ UV Sun-Shield Layer: Provides reliable protection against harmful UV rays, safeguarding water quality.
- Enhanced Aesthetic Layer: Crafted with high-quality raw material, with various colour options which add an aesthetic appeal to the tank.
- Lightweight and Durable Construction: Engineered with a lightweight yet durable design, offering easy handling and long-lasting performance for ultimate convenience.
- ▶ Injection-Moulded Threaded Lid: Features a robust injection-moulded threaded lid for secure sealing.
- ▶ Wide Range of Sizes: Available in a wide range of sizes, from 500 to 5000 litres, catering to various needs and preferences with flexibility
- NSF/ANSI/CAN 61: Certified by IAPMO under NSF/ANSI/CAN 61 standards, providing additional quality assurance and peace of mind.

^{*}There could be variations in specifications and colors due to continuous product development. All sizes and capacities are approximate





SPECIFICATION

	Capacity (Ltrs.)	Overall Diameter (mm)	Height (mm)	Manhole Dia (mm)
	500	820	965	390
	700	940	1030	390
_	1000	1060	1110	390
	1500	1230	1320	390
Height —	2000	1340	1480	390
P 	3000	1580	1800	390
	5000	1860	2080	460

Vectus Chemical Tank


ROTO Mould

Vectus ISI is a superior quality rotational moulded water tank conforming to IS 12701:1996. Polyethylene (PE) of rotational moulded grade, which is duly stabilized with antioxidants, is used as the raw material for manufacturing the tank. The compound hence formed provides protection against heat and oxidation of tanks. The nominal service temperature of Vectus ISI tanks varies from 1°C to 50°C.





specifically for the storage of both raw materials and finished chemical products. Vectus Chemical tanks offer superior chemical resistance when storing compounds such as acids, caustics, sodium hypochlorite, biocides, high-purity products, and more.







Salient Features:

- Premium Raw Materials: Crafted from high-quality raw materials, ensuring superior quality and purity of stored water.
- ► Heat and Oxidation-Resistant Construction: Engineered with heat and oxidation-resistant materials, guaranteeing durability and longevity even in harsh environments.
- Smooth Surface Finish: Boasts a smooth surface finish, facilitating easy cleaning and maintenance
- ► Heavy-Duty Lid: Features a robust lid for enhanced durability and secure sealing, guaranteeing long-lasting performance.
- ▶ Wide Range of Sizes: Available in a wide range of sizes, from 200 to 10,000 litres, catering to diverse capacity needs and ensuring there's an option suitable for every requirement.

11

VECTUS

SPECIFICATION

Capacity (Ltrs.)	Overall Diameter (mm)	Height (mm)	Manhole Dia (mm)
200	742	560	280
300	761	770	280
500	905	1000	400
700	1020	1045	400
1000	1127	1230	400
1500	1320	1410	400
2000	1400	1610	390
3000	1620	1890	460
5000	1846	2010	460
10000	2045	2800	460


Salient Features:

- ▶ UV Stabilized Construction: Ensures enhanced durability and longevity, resisting the harmful effects of UV rays for prolonged service life.
- Premium Raw Materials: Crafted from the finest quality raw materials, guaranteeing superior performance and reliability in material storage.
- Seamless Design: Features seamless construction, offering a sleek and modern appearance that complements any setting.
- ► Cost-Effective Solution: Provides a cost-effective solution without compromising on quality, delivering value for money.
- Advanced Manufacturing Techniques: Manufactured using the latest techniques for optimal efficiency, ensuring high-quality standards and consistent performance.
- Long Lifespan: Boasts a long lifespan, providing years of reliable service and peace of mind.
- ▶ Wide Range of Sizes: Available in sizes ranging from 500 to 10,000 litres, accommodating various needs and ensuring there's an option suitable for every requirement.

SPECIFICATION

Capacity (Ltrs.)	Overall Diameter (mm)	Height (mm)	Manhole Dia (mm)
500	905	1000	400
700	1020	1045	400
1000	1130	1230	400
1500	1320	1410	400
2000	1400	1610	390
3000	1620	1890	460
5000	1846	2010	460
10000	2045	2800	460

*There could be variations in specifications and colors due to continuous product development. All sizes and capacities are approximate.





The Vectus T-90 tank is the most advanced 6-layer blow-moulded tank made with extra strength. The advanced Vectus T-90 tanks come with a titaniumloaded layer that provides the tank extra strength, extreme durability, and longevity. With the Vectus T-90, you get the assurance of safety and purity of water from multiple layers as they are particularly resistant to any kind of degradation caused by bacteria or other external environmental factors. The thoughtfully designed tank is unequalled in quality, hygiene, and durability, offering you the freedom and peace of mind to use your tank for storing potable water.



6 LAYERS VECTUS T-90

Salient Features:

- Advanced Anti-Bacterial Layer: Guarantees water purity and safety with an inner anti-bacterial layer, effectively preventing bacterial contamination.
- ▶ Double UV Sun-Shield Layer: Provides reliable protection against harmful UV rays, preserving water quality and integrity.
- Grey-Coloured Stability Layer: Offers additional strength and stability to the tank, enhancing its structural integrity.
- ► Titanium-Loaded Layer: Reinforces the tank's durability for long-lasting performance, ensuring resilience against wear
- ► Heat-Reflective Golden Lime Colour Layer: Helps maintain water temperature and ensures water safety with its heatreflective properties, promoting optimal conditions for storage.
- ▶ Injection-Moulded Threaded Lid: Features a robust injectionmoulded threaded lid for secure sealing.
- ▶ Wide Range of Sizes: Available in sizes ranging from 500 to 2000 litres, catering to various capacity needs and providing options for different applications.
- NSF/ANSI/CAN 61: Certified by IAPMO under NSF/ANSI/CAN 61 standards, providing additional quality assurance and peace of mind.


Heat Reflective (outer layer) Titanium Strength Layer (second layer)

Cross-section of 'Vectus T-90' water tank



Anti- bacterial Layer (inner layer)

SPECIFICATION



	Capacity (Ltrs.)	Overall Diameter (mm)	Height (mm)	Manhole Dia (mm)
 <u> </u>	500	845	1050	380
	750	960	1200	380
	1000	1050	1300	380
	1500	1200	1520	380
	2000	1325	1610	380

The Vectus Next tank is an advanced blow-moulded water storage tank, comprising of four layers: a heat reflective outer layer, titanium loaded layer, UV sun-shield layer, and an anti-bacterial layer. These layers contribute to maintaining water quality, extending the tank's lifespan, and ensuring the safety and hygiene of stored water.



Vectus Next Tank











Salient Features:

- ▶ Ergonomic Design: Rounded edges engineered to prevent stress formation, ensuring longevity.
- Advanced Anti-Bacterial Layer: Guarantees water purity and safety with an inner anti-bacterial layer, effectively preventing bacterial contamination.
- ▶ UV Sun-Shield Layer: Provides reliable protection against harmful UV rays, preserving water quality and integrity.
- ► Titanium-Loaded Layer: Reinforces the tank's durability for long-lasting performance, ensuring resilience against wear
- ► Heat-Reflective Coloured Layer: Helps maintain water temperature and ensures water safety with its heat-reflective properties, promoting optimal conditions for storage.
- Injection-Moulded Threaded Lid: Features a robust injectionmoulded threaded lid for secure sealing.
- ▶ Wide Range of Sizes: Available in sizes ranging from 200 to 2000 litres, catering to various capacity needs and providing options for different applications.
- NSF/ANSI/CAN 61: Certified by IAPMO under NSF/ANSI/ CAN 61 standards, providing additional quality assurance and peace of mind.





- Coloured Layer With Heat Reflective Technology (outer layer) High Titanium Loaded Laver (Second laver)
- Environmental Stress & UV Sun-Shield Layer (third layer) Anti- bacterial Layer (inner layer)



Unique Threaded Lid

SPECIFICATION



	Capacity (Ltrs.)	Overall Diameter (mm)	Height (mm)	Manhole Dia (mm)
	200	595	770	390
	300	700	830	390
5	500	840	1020	390
	750	970	1190	390
	1000	1050	1310	390
	1500	1200	1500	390
	2000	1330	1550	390


^{*}There could be variations in specifications and colors due to continuous product development. All sizes and capacities are approximate.

^{*}There could be variations in specifications and colors due to continuous product development. All sizes and capacities are approximate

The Vectus Silk tank is an economical and a popular blow-moulded water storage tank, comprising of three layers: a white titanium layer, UV sun-shield layer, and an anti-bacterial layer. These layers contribute to maintaining water quality, extending the tank's lifespan, and ensuring the safety and hygiene of stored water.



Manufactured using the roto-moulding process, Vectus underground water tanks are one-piece moulded tanks used for the underground storage of potable drinking water, wastewater, and rainwater collection. Polymer based underground tanks offer an economical and a simpler solution in comparison to conventional cement tanks.



ROTO Mould

Salient Features:

- Advanced Anti-Bacterial Layer: Guarantees water purity and safety with an inner anti-bacterial layer, effectively preventing bacterial contamination.
- ▶ UV Sun-Shield Layer: Provides reliable protection against harmful UV rays, preserving water quality and integrity.
- ► Enhanced Aesthetic Layer: Crafted with high-quality raw material, with various colour options which add an aesthetic appeal to the tank.
- Injection-Moulded Threaded Lid: Features a robust injectionmoulded threaded lid for secure sealing.
- ► Offered in sizes ranging from 500 to 1000 litres to accommodate various needs.
- NSF/ANSI/CAN 61: Certified by IAPMO under NSF/ANSI/CAN 61 standards, providing additional quality assurance and peace of mind.



Cross-section of 'Vectus Silk 3 Layer' water tank White Titanium Layer (outer layer) Fine Carbon Distribution Layer (middle layer) Anti-bacterial laver



SPECIFICATION

Capacity (Ltrs.)	Overall Diameter (mm)	Height (mm)	Manhole Dia (mm)
500	860	940	380
750	960	1090	380
1000	1050	1220	380

Loft tanks are specifically designed and manufactured for indoor kitchen and household purposes. They are rectangular in shape and can be easily accommodated in kitchens and other spaces efficiently.



Salient Features:

- High quality raw material.
- Stylish design.
- Versatile and multipurpose usage
- Ideal for small spaces.
- Available in a three-layer configuration.

Capacity (Ltrs.)	Length (mm)	Width (mm)	Height (mm)	Manhole Dia (mm)
100	780	535	280	268
200	955	655	380	268
300	1110	750	420	268
500	1355	950	460	268

SPECIFICATION

Salient Features:

- ▶ Engineered for structural strength, ensuring long-lasting durability.
- ▶ Equipped with lifting provision for effortless handling during installation and relocation.
- ► Constructed from food-grade materials, making it resistant to fungus and bacterial growth for safe water storage.
- ▶ Simple installation process for added convenience and ease of use.
- Features an airtight manhole cover assembly to prevent contaminants from entering the tank.
- Modular design allows for easy expansion to accommodate changing needs.
- ▶ Impermeable to tree roots, ensuring the integrity of the tank over time.
- ▶ One-piece roto-moulded construction eliminates joints, making it leak-proof and reliable.

Usage:

- ► Underground water storage.
- ► Rainwater harvesting.
- ► Water storage for industries.
- ► Storage for fire fighting.
- Easy reservoirs for irrigation system.
- ► Available in sizes from 1000 to 5000 ltrs.



SPECIFICATION

Capacity (Ltrs.)	Length (mm)	Width (mm)	Height (mm)	Manhole Dia (mm)
1000	1450	1060	1395	600
2000	1830	1340	1700	600
5000	2120	1870	2150	600

^{*}There could be variations in specifications and colors due to continuous product development. All sizes and capacities are approximate.

^{*}There could be variations in specifications and colors due to continuous product development. All sizes and capacities are approximate.



Vectus T-Base is a modern and a cost-effective solution for placement of water storage tanks on a level base. Unlike conventional cement bases, Vectus T-Base elevates the tank slightly above ground level, facilitating effortless cleaning and maintenance. Its smooth surface not only promotes cleanliness but also enhances the longevity of the tank.

Vectus Water Tank Base



Salient Features:

- Uniform surface for a sleek aesthetic.
- Quick and easy installation.
- Durable yet lightweight.
- Heavy load-bearing capacity.
- Easy cleaning and maintenance.



SPECIFICATION

Model No.	Outer Dia (in mm)	Height (in mm)	Suitable for Sizes (in Itrs.)
TB-50	875	130	500, 550
TB-100	1090	165	700, 750, 1000, 1100

